

Efsta-Portal – Wie deaktiviere ich eine elektronische Überweisung, nachdem der Kunde das POS nicht mehr verwendet?



Willkommen im EFSTA-Portal. In diesem Tutorial zeigen wir Ihnen, wie Sie eine elektronische Zahlungstransaktion deaktivieren, nachdem der Kunde die Nutzung des POS eingestellt hat.

SERVICE PORTAL

2.18.22

(optimized for Google Chrome)

REFRESH RATE

Never

USERNAME

Joshua

DASHBOARD

ORGANISATIONS

COMPANIES

LOCATIONS

EFR

OFFLINE LICENSES

CERTIFICATES

FISCAL-UNITS

PORTAL EXPORT

BILL MANAGEMENT

70

WARNINGS

USERS

VERSIONING

PURCHASE

CONTACT

COMPANIES

493

LOCATIONS

206

EFR

372

CERTIFICATES / FIS-UNITS

1

+

ADD

↑

UPLOAD CSV.

Optional: upload your own encryption certificate

↑

OVERVIEW (current year)	COMPANY	LOCATION
average number of transactions	818	1034
highest number of transactions	25271 VIRAGE SRL	22052 Caravella

Latest News

10.06.2024 - fiskaly Cloud TSE maintenance

fiskaly has announced maintenance on its own infrastructure. This will take place on Tuesday, 02.07.2024 between 05:00 and 07:00 CEST. During this time, there may also be restrictions on the use of Cloud TSEs and the ordering and management of them. The status and details can usually be viewed on the [status page](#) of fiskaly.

Show News History

Efsta-Portal – Wie deaktiviere ich eine elektronische Überweisung, nachdem der Kunde das POS nicht mehr verwendet?



Klicken Sie zunächst auf **Unternehmen**.

efsta

SERVICE PORTAL 2.18.22 (optimized for Google Chrome)

REFRESH RATE

Never

USERNAME

Joshua

DASHBOARD

ORGANISATIONS

COMPANIES

LOCATIONS

EFR

OFFLINE LICENSES

CERTIFICATES

FISCAL-UNITS

PORTAL EXPORT

BILL MANAGEMENT

OVERVIEW (current year)

average number of transactions	818	1034
highest number of transactions	25271 VIRAGE SRL	22052 Caravella

Latest News

10.06.2024 - fiskaly Cloud TSE maintenance

fiskaly has announced maintenance on its own infrastructure. This will take place on Tuesday, 02.07.2024 between 05:00 and 07:00 CEST. During this time, there may also be restrictions on the use of Cloud TSEs and the ordering and management of them. The status and details can usually be viewed on the [status page](#) of fiskaly.

Show News History

Efsta-Portal – Wie deaktiviere ich eine elektronische Überweisung, nachdem der Kunde das POS nicht mehr verwendet?

Wählen Sie den **betreffenden Kunden** aus der Liste aus.

efsta									
SERVICE PORTAL 2.18.22 (optimized for Google Chrome)									
COMPANIES + ADD ☐ Show deactivated companies ☐ Hide Teststructures									
SEARCH									
	NAME	CTRY	UID	CUSTREF	LOC	EFR	OLC	CRT/FIS-UNIT	COMMENT
	TEST TestLab (DE)	DE	DE123456789		2	0 / 0	0	0 / 1	Automatisch angelegtes Testunternehmen.
	TEST TestLab (IT)	IT	IT123456789		6	0 / 23	0	0 / 0	automatically generated test company
	TEST TestLab (IT)	IT	IT000000001		2	0 / 0	0	0 / 0	automatically generated test company
	TEST Peters Burger Shop	IT	12345678901		1	0 / 0	0	0 / 0	
	TEST TestLab (ES)	ES	ES123456789		9	0 / 51	0	0 / 0	automatically generated test company
	TEST TestLab (IT)	IT	IT000000002		2	0 / 0	0	0 / 0	automatically generated test company
	TEST TestLab (IT)	IT	IT000000003		2	0 / 0	0	0 / 0	automatically generated test company
	DA MARCELLA AL CUPPOLONE DI LOLLO RAIMONDO E C. S.A.S.	IT	IT04828571002		1	1 / 1	0	0 / 0	
	L'isola srl	IT	IT10042530963		1	1 / 1	0	0 / 0	
	MUNAYCO AGUILAR ALISON POLET	IT	IT15262031006		0	1 / 1	0	0 / 0	
	La Versilia SRL	IT	IT03700970969		1	1 / 1	0	0 / 0	
	IL GROTTINO DI VENDITTI	IT	IT01854791009		1	1 / 1	0	0 / 0	
	MVM GROUP SRLS	IT	IT02729050746		1	1 / 1	0	0 / 0	
	RISTO GRILL DI HU ZENGJIE	IT	IT07427770966		1	1 / 1	0	0 / 0	
	A & T SRLS	IT	IT17336201003		1	1 / 1	0	0 / 0	
	SAN FERDINANDO RISTORANTE E	IT	IT0359821083		1	1 / 1	0	0 / 0	

Efsta-Portal – Wie deaktiviere ich eine elektronische Überweisung, nachdem der Kunde das POS nicht mehr verwendet?

Klicken Sie auf die **entsprechenden Zahlen** in der EFR-Spalte.

efsta									
SERVICE PORTAL 2.18.22 (optimized for Google Chrome)									
COMPANIES + ADD ☐ Show deactivated companies ☐ Hide Teststructures									
SEARCH									
	NAME	CTRY	UID	CUSTREF	LOC	EFR	OLC	CRT/FIS-UNIT	COMMENT
●	TEST TestLab (DE)	DE	DE123456789		2	0 / 0	0	0 / 1	Automatisch angelegtes Testunternehmen.
●	TEST TestLab (IT)	IT	IT123456789		6	0 / 23	0	0 / 0	automatically generated test company
●	TEST TestLab (IT)	IT	IT000000001		2	0 / 0	0	0 / 0	automatically generated test company
●	TEST Peters Burger Shop	IT	12345678901		1	0 / 0	0	0 / 0	
●	TEST TestLab (ES)	ES	ES123456789		9	0 / 51	0	0 / 0	automatically generated test company
●	TEST TestLab (IT)	IT	IT000000002		2	0 / 0	0	0 / 0	automatically generated test company
●	TEST TestLab (IT)	IT	IT000000003		2	0 / 0	0	0 / 0	automatically generated test company
●	DA MARCELLA AL CUPPOLONE DI LOLLO RAIMONDO E C. S.A.S.	IT	IT04828571002		1	1 / 1	0	0 / 0	
●	L'isola srl	IT	IT10042530963		1	1 / 1	0	0 / 0	
●	MUNAYCO AGUILAR ALISON POLET	IT	IT15262031006		0	1 / 1	0	0 / 0	
●	La Versilia SRL	IT	IT03700970969		1	1 / 1	0	0 / 0	
●	IL GROTTINO DI VENDITTI	IT	IT01854791009		1	1 / 1	0	0 / 0	
●	MVM GROUP SRLS	IT	IT02729050746		1	1 / 1	0	0 / 0	
●	RISTO GRILL DI HU ZENGJIE	IT	IT07427770966		1	1 / 1	0	0 / 0	
●	A & T SRLS	IT	IT17336201003		1	1 / 1	0	0 / 0	
●	SAN FERDINANDO RISTORANTE E	IT	IT0359821083		1	1 / 1	0	0 / 0	

Efsta-Portal – Wie deaktiviere ich eine elektronische Überweisung, nachdem der Kunde das POS nicht mehr verwendet?


Klicken Sie anschließend im neuen Fenster auf die **ID-Nummer**.

efsta									
SERVICE PORTAL 2.18.22 (optimized for Google Chrome)									
EFR ☐ Show deactivated registers ☐ Hide Teststructures									
Search									
	ID	VERSION	COMPANY	LOCATION	TERMINAL	CRT/FIS-UNIT	COMMENT		
	TEST 00000004EQM	2.3.2.1b	TestLab (ES)	Test location QA (ES)	1	0 / 0	207 FO P1 (ES)		
	TEST 00000004FLC	2.3.2.1b	TestLab (ES)			0 / 0			
	TEST 00000004FLH	2.3.2.1b	TestLab (ES)			0 / 0			
	TEST 00000004FLP	2.3.2.1b	TestLab (ES)			0 / 0			
	TEST 00000004FNX	2.3.2.1b	TestLab (ES)			0 / 0			
	TEST 00000004FRS	2.3.2.1b	TestLab (ES)			0 / 0			
	TEST 00000004FU9	2.3.2.1b	TestLab (ES)			0 / 0			
	TEST 00000004GKR	2.3.2.1b	TestLab (ES)	FLEMA	1	0 / 0			
	TEST 00000004GM1	2.3.2.1b	TestLab (ES)	FLEMA	1	0 / 0			
	TEST 00000004GPS	2.3.2.1b	TestLab (ES)			0 / 0			
	TEST 00000004GUH	2.3.2.1b	TestLab (ES)	FLEMA	1	0 / 0			
	TEST 00000004GUM	2.3.2.1b	TestLab (ES)			0 / 0			
	TEST 00000004GXF	2.3.2.1b	TestLab (ES)			0 / 0			
	TEST 00000004GXX	2.3.2.1b	TestLab (ES)	FLEMA	1	0 / 0			
	TEST 00000004H9R	2.3.3.2b	TestLab (ES)	Test location QA2 (ES)	1	0 / 0	205 FO P1 (ES) Non fiscal temp)		
	TEST 00000004HCR	2.3.3.2b	TestLab (ES)	Test location QA2 (ES)	1	0 / 0	207 FO P1 (ES) Non fiscal		
	TEST 00000004HG9	2.3.3.2b	TestLab (ES)	FLEMA	1	0 / 0			
	TEST 00000004HKH	2.3.3.2b	TestLab (ES)			0 / 0			
	TEST 00000004HKT	2.3.3.2b	TestLab (ES)	FLEMA	1	0 / 0			
	TEST 00000004HLO	2.3.3.2b	TestLab (ES)	FLEMA	1	0 / 0			
	TEST 00000004HPN	2.3.3.2b	TestLab (ES)	FLEMA	1	0 / 0			
	TEST 00000004HQQ	2.3.3.2b	TestLab (ES)	Education Flema	1	0 / 0			
	TEST 00000004HR7	2.4.0.4b	TestLab (ES)	Education Flema	1	0 / 0			
	TEST 00000004J29	2.4.0.4b	TestLab (ES)	DISH OPS 1 ES	1	0 / 0			
	TEST 00000004KSE	2.3.3.2b	TestLab (ES)			0 / 0			
	TEST 00000004KSU	2.3.3.2b	TestLab (ES)	FLEMA	1	0 / 0			
	TEST 00000004KZS	2.3.3.2b	TestLab (ES)	FLEMA	1	0 / 0			

Efsta-Portal – Wie deaktiviere ich eine elektronische Überweisung, nachdem der Kunde das POS nicht mehr verwendet?



Es öffnet sich ein neues Fenster, klicken Sie dann auf „**Registrierung deaktivieren**“.



The screenshot shows the Efsta Service Portal interface. On the left is a sidebar with navigation options: DASHBOARD, ORGANISATIONS, COMPANIES, LOCATIONS, EFR, OFFLINE LICENSES, CERTIFICATES, FISCAL-UNITS, PORTAL EXPORT, BILL MANAGEMENT, OPERATION LOGS, WARNINGS, USERS, VERSIONING, PURCHASE, and CONTACT. The main area displays a table of registers with columns for ID, VERSION, and COMPANY. The 'Properties' window is open for the register with ID 00000004EQM. The window shows details such as STRUCTURE, COMPANY, LAST SEQUENCE NR, TRANSACTIONS THIS YEAR, and a 'DEACTIVATE REGISTER' button highlighted with a red box. Below the properties, there is a section for 'SHARE DATA FOR THE PERIOD' with 'FROM' and 'UNTIL' date pickers and a 'SHARE DATA' button.

ID	VERSION	COMPANY
TEST 00000004EQM	2.3.2.1b	TestLab (ES)
TEST 00000004FLC	2.3.2.1b	TestLab (ES)
TEST 00000004FLH	2.3.2.1b	TestLab (ES)
TEST 00000004FLP	2.3.2.1b	TestLab (ES)
TEST 00000004FNX	2.3.2.1b	TestLab (ES)
TEST 00000004FRS	2.3.2.1b	TestLab (ES)
TEST 00000004FU9	2.3.2.1b	TestLab (ES)
TEST 00000004GKR	2.3.2.1b	TestLab (ES)
TEST 00000004GM1	2.3.2.1b	TestLab (ES)
TEST 00000004GPS	2.3.2.1b	TestLab (ES)
TEST 00000004GUH	2.3.2.1b	TestLab (ES)
TEST 00000004GUM	2.3.2.1b	TestLab (ES)
TEST 00000004GXF	2.3.2.1b	TestLab (ES)
TEST 00000004GXX	2.3.2.1b	TestLab (ES)
TEST 00000004H9R	2.3.3.2b	TestLab (ES)
TEST 00000004HCR	2.3.3.2b	TestLab (ES)
TEST 00000004HG9	2.3.3.2b	TestLab (ES)
TEST 00000004HKH	2.3.3.2b	TestLab (ES)
TEST 00000004HKT	2.3.3.2b	TestLab (ES)
TEST 00000004HL0	2.3.3.2b	TestLab (ES)
TEST 00000004HPN	2.3.3.2b	TestLab (ES)
TEST 00000004HQQ	2.3.3.2b	TestLab (ES)
TEST 00000004HR7	2.4.0.4b	TestLab (ES)
TEST 00000004J29	2.4.0.4b	TestLab (ES)
TEST 00000004KSE	2.3.3.2b	TestLab (ES)
TEST 00000004KSU	2.3.3.2b	TestLab (ES)
TEST 00000004KZS	2.3.3.2b	TestLab (ES)

Properties Window for 00000004EQM

STRUCTURE: DISH Digital Solution... > EJSINK > Development Spain (E... > TestLab (ES) > Test location QA (ES... > 00000004EQM

COMPANY: TestLab (ES)

LAST SEQUENCE NR: 1,061

TRANSACTIONS THIS YEAR: 1,061

TIMESTAMP LAST TRANSACTION:

RECEPTION TIME LAST TRANSACTION:

LAST TRANSFER:

LAST STATUS REQUEST:

COMMENT: 207 FO P1 (ES)

Buttons: SAVE, UPDATE, CHANGE REPLACED REGISTER, **DEACTIVATE REGISTER**

SHARE DATA FOR THE PERIOD

FROM: dd.mm.yyyy UNTIL: dd.mm.yyyy


☐ optional: own certificate server

SHARE DATA

Efsta-Portal – Wie deaktiviere ich eine elektronische Überweisung, nachdem der Kunde das POS nicht mehr verwendet?



Um die Aktion zu bestätigen, klicken Sie auf **OK**.



The screenshot shows the efsta SERVICE PORTAL interface. On the left is a sidebar with navigation links: DASHBOARD, ORGANISATIONS, COMPANIES, LOCATIONS, EFR, OFFLINE LICENSES, CERTIFICATES, FISCAL-UNITS, PORTAL EXPORT, BILL MANAGEMENT, OPERATION LOGS, WARNINGS, USERS, VERSIONING, PURCHASE, and CONTACT. The main area displays a table of registers with columns for ID, VERSION, and COMPANY. A red dialog box is overlaid on the table, asking for confirmation to deactivate and hide a fiscal register. The dialog text reads: "DEACTIVATE AND HIDE FISCAL REGISTER? Deactivating the register terminates the use within the efsta system. These registers will then (by default filter) no longer be displayed and will not be charged after the last billing period. If it is still used or remains actively installed, it may be automatically reactivated. Do you really want to deactivate the register? To prevent the register from waking up automatically, the 'deactivate communication' option can be used. This prevents the data from being sent from the registry to the cloud." Below the text, there is a checkbox labeled "Deactivate Communication of EFR" which is checked. At the bottom of the dialog are "Cancel" and "OK" buttons. The "OK" button is highlighted with a red square. In the background, the "PROPERTIES" panel for register 00000004EQM is visible, showing details like "TestLab (ES)" and "1,061".

Efsta-Portal – Wie deaktiviere ich eine elektronische Überweisung, nachdem der Kunde das POS nicht mehr verwendet?

Sie müssen diesen Schritt für alle betroffenen EFRs wiederholen.

efsta		SERVICE PORTAL 2.18.22 (optimized for Google Chrome)						REFRESH RATE	USERNAME
								Never	Joshua
EFR		Show deactivated registers Hide Teststructures						Search	
	ID	VERSION	COMPANY	LOCATION	TERMINAL	CRT/FIS-UNIT	COMMENT		
	TEST 00000004EQM	2.3.2.1b	TestLab (ES)	Test location QA (ES)	1	0 / 0	207 FO P1 (ES)		
	TEST 00000004FLC	2.3.2.1b	TestLab (ES)			0 / 0			
	TEST 00000004FLH	2.3.2.1b	TestLab (ES)			0 / 0			
	TEST 00000004FLP	2.3.2.1b	TestLab (ES)			0 / 0			
	TEST 00000004FNX	2.3.2.1b	TestLab (ES)			0 / 0			
	TEST 00000004FRS	2.3.2.1b	TestLab (ES)			0 / 0			
	TEST 00000004FU9	2.3.2.1b	TestLab (ES)			0 / 0			
	TEST 00000004GKR	2.3.2.1b	TestLab (ES)	FLEMA	1	0 / 0			
	TEST 00000004GM1	2.3.2.1b	TestLab (ES)	FLEMA	1	0 / 0			
	TEST 00000004GPS	2.3.2.1b	TestLab (ES)			0 / 0			
	TEST 00000004GUH	2.3.2.1b	TestLab (ES)	FLEMA	1	0 / 0			
	TEST 00000004GUM	2.3.2.1b	TestLab (ES)			0 / 0			
	TEST 00000004GXF	2.3.2.1b	TestLab (ES)			0 / 0			
	TEST 00000004GXX	2.3.2.1b	TestLab (ES)	FLEMA	1	0 / 0			
	TEST 00000004H9R	2.3.3.2b	TestLab (ES)	Test location QA2 (ES)	1	0 / 0	205 FO P1 (ES) Non fiscal temp)		
	TEST 00000004HCR	2.3.3.2b	TestLab (ES)	Test location QA2 (ES)	1	0 / 0	207 FO P1 (ES) Non fiscal		
	TEST 00000004HG9	2.3.3.2b	TestLab (ES)	FLEMA	1	0 / 0			
	TEST 00000004HKH	2.3.3.2b	TestLab (ES)			0 / 0			
	TEST 00000004HKT	2.3.3.2b	TestLab (ES)	FLEMA	1	0 / 0			
	TEST 00000004HLO	2.3.3.2b	TestLab (ES)	FLEMA	1	0 / 0			
	TEST 00000004HPN	2.3.3.2b	TestLab (ES)	FLEMA	1	0 / 0			
	TEST 00000004HQQ	2.3.3.2b	TestLab (ES)	Education Flema	1	0 / 0			
	TEST 00000004HR7	2.4.0.4b	TestLab (ES)	Education Flema	1	0 / 0			
	TEST 00000004J29	2.4.0.4b	TestLab (ES)	DISH OPS 1 ES	1	0 / 0			
	TEST 00000004KSE	2.3.3.2b	TestLab (ES)			0 / 0			
	TEST 00000004KSU	2.3.3.2b	TestLab (ES)	FLEMA	1	0 / 0			
	TEST 00000004KZS	2.3.3.2b	TestLab (ES)	FLEMA	1	0 / 0			

Efsta-Portal – Wie deaktiviere ich eine elektronische Überweisung, nachdem der Kunde das POS nicht mehr verwendet?



Das war's. Sie wissen jetzt, wie Sie eine elektronische Überweisung deaktivieren, nachdem der Kunde das POS nicht mehr verwendet.

efsta		SERVICE PORTAL 2.18.22 (optimized for Google Chrome)						REFRESH RATE	USERNAME
		EFR ☐ Show deactivated registers ☐ Hide Teststructures						Never	Joshua
		Search							
		ID	VERSION	COMPANY	LOCATION	TERMINAL	CRT/FIS-UNIT	COMMENT	
DASHBOARD		● TEST 00000004EQM	2.3.2.1b	TestLab (ES)	Test location QA (ES)	1	0 / 0	207 FO P1 (ES)	
ORGANISATIONS		● TEST 00000004FLC	2.3.2.1b	TestLab (ES)			0 / 0		
COMPANIES		● TEST 00000004FLH	2.3.2.1b	TestLab (ES)			0 / 0		
LOCATIONS		● TEST 00000004FLP	2.3.2.1b	TestLab (ES)			0 / 0		
EFR		● TEST 00000004FNL	2.3.2.1b	TestLab (ES)			0 / 0		
OFFLINE LICENSES		● TEST 00000004FRS	2.3.2.1b	TestLab (ES)			0 / 0		
CERTIFICATES		● TEST 00000004FU9	2.3.2.1b	TestLab (ES)			0 / 0		
FISCAL-UNITS		● TEST 00000004GKR	2.3.2.1b	TestLab (ES)	FLEMA	1	0 / 0		
PORTAL EXPORT		● TEST 00000004GM1	2.3.2.1b	TestLab (ES)	FLEMA	1	0 / 0		
BILL MANAGEMENT		● TEST 00000004GPS	2.3.2.1b	TestLab (ES)			0 / 0		
		● TEST 00000004GUH	2.3.2.1b	TestLab (ES)	FLEMA	1	0 / 0		
		● TEST 00000004GUM	2.3.2.1b	TestLab (ES)			0 / 0		
		● TEST 00000004GXF	2.3.2.1b	TestLab (ES)			0 / 0		
		● TEST 00000004GXX	2.3.2.1b	TestLab (ES)	FLEMA	1	0 / 0		
		● TEST 00000004H9R	2.3.3.2b	TestLab (ES)	Test location QA2 (ES)	1	0 / 0	205 FO P1 (ES) Non fiscal temp)	
		● TEST 00000004HCR	2.3.3.2b	TestLab (ES)	Test location QA2 (ES)	1	0 / 0	207 FO P1 (ES) Non fiscal	
		● TEST 00000004H9G	2.3.3.2b	TestLab (ES)	FLEMA	1	0 / 0		
		● TEST 00000004HKH	2.3.3.2b	TestLab (ES)			0 / 0		
		● TEST 00000004HKT	2.3.3.2b	TestLab (ES)	FLEMA	1	0 / 0		
		● TEST 00000004HLO	2.3.3.2b	TestLab (ES)	FLEMA	1	0 / 0		
		● TEST 00000004HPN	2.3.3.2b	TestLab (ES)	FLEMA	1	0 / 0		
OPERATION LOGS	70	● TEST 00000004HQQ	2.3.3.2b	TestLab (ES)	Education Flema	1	0 / 0		
WARNINGS		● TEST 00000004HR7	2.4.0.4b	TestLab (ES)	Education Flema	1	0 / 0		
USERS		● TEST 00000004J29	2.4.0.4b	TestLab (ES)	DISH OPS 1 ES	1	0 / 0		
VERSIONING		● TEST 00000004KSE	2.3.3.2b	TestLab (ES)			0 / 0		
PURCHASE		● TEST 00000004KSU	2.3.3.2b	TestLab (ES)	FLEMA	1	0 / 0		
CONTACT		● TEST 00000004KZS	2.3.3.2b	TestLab (ES)	FLEMA	1	0 / 0		



Scannen, um zum interaktiven Player zu gelangen